

# Server Error in '/' Application.

*There is already an open DataReader associated with this Command which must be closed first.*

**Description:** An unhandled exception occurred during the execution of the current web request. Please review the stack trace for more information about the error and where it originated in the code.

**Exception Details:** System.InvalidOperationException: There is already an open DataReader associated with this Command which must be closed first.

## Source Error:

An unhandled exception was generated during the execution of the current web request. Information regarding the origin and location of the exception can be identified using the exception stack trace below.

## Stack Trace:

```
[InvalidOperationException: There is already an open DataReader associated with this Command which must be closed first.]
```

```
System.Data.SqlClient.SqlInternalConnectionTds.ValidateConnectionForExecute(SqlCommand command) +2598141
```

```
System.Data.SqlClient.SqlCommand.ValidateCommand(String method, Boolean async) +310
```

```
System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method, TaskCompletionSource`1 completion, Int32 timeout, Task& task, Boolean& usedCache, Boolean asyncWrite, Boolean inRetry) +155
```

```
System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method) +83
```

```
System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior behavior, String method) +198
```

```
System.Data.Linq.SqlClient.SqlProvider.Execute(Expression query, QueryInfo queryInfo, IObjectReaderFactory factory, Object[] parentArgs, Object[] userArgs, ICompiledSubQuery[] subQueries, Object lastResult) +1651
```

```
System.Data.Linq.SqlClient.SqlProvider.ExecuteAll(Expression query,
```

```
QueryInfo[] queryInfos,  
IObjectReaderFactory factory,  
Object[] userArguments,  
ICompiledSubQuery[] subQueries)  
+187
```

```
System.Data.Linq.SqlClient.SqlProvider.  
System.Data.Linq.Provider.IProvider.  
Execute(Expression query) +410
```

```
Reepler.Data.ReeplerDataContext.Get  
Products(String language, String  
ids, Nullable`1 category, String  
nameSearch, Nullable`1  
supplierFilter) in  
C:\Storage\Development\reepler\PublicWeb\Reepler\Data\Reepler.designer  
.cs:859
```

```
Reepler.DTO.ProductRepository.Get(Int32 id, Language l) in  
C:\Storage\Development\reepler\PublicWeb\Reepler\DTO\ProductRepository  
.cs:222
```

```
Reepler.DTO.BaseRepository`1.Get(Int32 id) in  
C:\Storage\Development\reepler\PublicWeb\Reepler\DTO\BaseRepository.cs  
:44
```

```
Reepler.ShopFront.Repositories.ProductsRepository.GetProduct(Int32  
productId) in  
C:\Storage\Development\reepler\PublicWeb\ShopFront\Repositories\ProductsRepository.cs:26
```

```
Reepler.ShopFront.Controllers.ProductController.ProductSheet(Int32 id)  
in  
C:\Storage\Development\reepler\PublicWeb\ShopFront\Controllers\Product  
Controller.cs:59  
lambda_method(Closure ,  
ControllerBase , Object[] ) +141
```

```
System.Web.Mvc.ReflectedActionDescriptor.  
Execute(ControllerContext  
controllerContext, IDictionary`2  
parameters) +280
```

```
System.Web.Mvc.ControllerActionInvoker.  
InvokeActionMethod(ControllerContext controllerContext,  
ActionDescriptor actionDescriptor,  
IDictionary`2 parameters) +35  
System.Web.Mvc.  
<>c__DisplayClass15.  
<InvokeActionMethodWithFilters>b__1  
2() +80
```

```
System.Web.Mvc.ControllerActionInvoker.InvokeActionMethodFilter(IActionFilter filter, ActionExecutingContext preContext, Func`1 continuation) +454
```

```
System.Web.Mvc.ControllerActionInvoker.InvokeAction(ControllerContext controllerContext, String actionName) +658
```

```
System.Web.Mvc.Controller.ExecuteCore() +143
```

```
System.Web.Mvc.ControllerBase.Execute(RequestContext requestContext) +91
```

```
System.Web.Mvc.<>c__DisplayClassb.<BeginProcessRequest>b__5() +57  
System.Web.Mvc.Async.<>c__DisplayClass1.<MakeVoidDelegate>b__0() +25  
System.Web.Mvc.<>c__DisplayClassc.<EndProcessRequest>b__d() +36
```

```
System.Web.CallHandlerExecutionStep.System.Web.HttpApplication.IExecutionStep.Execute() +602
```

```
System.Web.HttpApplication.ExecuteStepImpl(IExecutionStep step) +195
```

```
System.Web.HttpApplication.ExecuteStep(IExecutionStep step, Boolean& completedSynchronously) +128
```