

Server Error in '/' Application.

Object reference not set to an instance of an object.

Description: An unhandled exception occurred during the execution of the current web request. Please review the stack trace for more information about the error and where it originated in the code.

Exception Details: System.NullReferenceException: Object reference not set to an instance of an object.

Source Error:

An unhandled exception was generated during the execution of the current web request. Information regarding the origin and location of the exception can be identified using the exception stack trace below.

Stack Trace:

```
[NullReferenceException: Object  
reference not set to an instance of  
an object.]
```

```
System.Data.SqlClient.SqlConnection  
.TryOpenInner(TaskCompletionSource`  
1 retry) +284
```

```
System.Data.SqlClient.SqlConnection  
.TryOpen(TaskCompletionSource`1  
retry) +412
```

```
System.Data.SqlClient.SqlConnection  
.Open() +127
```

```
System.Data.Linq.SqlClient.SqlConne  
ctionManager.UseConnection(IConnect  
ionUser user) +54
```

```
System.Data.Linq.SqlClient.SqlProvi  
der.Execute(Expression query,  
QueryInfo queryInfo,  
IObjectReaderFactory factory,  
Object[] parentArgs, Object[]  
userArgs, ICompiledSubQuery[]  
subQueries, Object lastResult) +90
```

```
System.Data.Linq.SqlClient.SqlProvi  
der.ExecuteAll(Expression query,  
QueryInfo[] queryInfos,  
IObjectReaderFactory factory,  
Object[] userArguments,  
ICompiledSubQuery[] subQueries)  
+186
```

```
System.Data.Linq.SqlClient.SqlProvi  
der.System.Data.Linq.Provider.IProv  
ider.Execute(Expression query) +409
```

```
Reepler.Data.ReeplerDataContext.Get  
Products(String language, String  
ids, Nullable`1 category, String  
nameSearch, Nullable`1  
supplierFilter) in  
C:\Storage\Development\reepler\Publ
```

icWeb\Reepler\Data\Reepler.designer.cs:859

Reepler.DTO.ProductRepository.Get(Int32 id, Language l) in
C:\Storage\Development\reepler\PublicWeb\Reepler\DTO\ProductRepository.cs:222

Reepler.DTO.BaseRepository`1.Get(Int32 id) in
C:\Storage\Development\reepler\PublicWeb\Reepler\DTO\BaseRepository.cs:44

Reepler.ShopFront.Repositories.ProductsRepository.GetProduct(Int32 productId) in
C:\Storage\Development\reepler\PublicWeb\ShopFront\Repositories\ProductsRepository.cs:26

Reepler.ShopFront.Controllers.ProductController.ProductSheet(Int32 id) in
C:\Storage\Development\reepler\PublicWeb\ShopFront\Controllers\ProductController.cs:59
 lambda_method(Closure , ControllerBase , Object[]) +140

System.Web.Mvc.ReflectedActionDescriptor.Execute(ControllerContext controllerContext, IDictionary`2 parameters) +279

System.Web.Mvc.ControllerActionInvoker.InvokeActionMethod(ControllerContext controllerContext, ActionDescriptor actionDescriptor, IDictionary`2 parameters) +34
 System.Web.Mvc.<>c__DisplayClass15.<InvokeActionMethodWithFilters>b__12() +79

System.Web.Mvc.ControllerActionInvoker.InvokeActionMethodFilter(IActionFilter filter, ActionExecutingContext preContext, Func`1 continuation) +454

System.Web.Mvc.ControllerActionInvoker.InvokeAction(ControllerContext controllerContext, String actionName) +658

System.Web.Mvc.Controller.ExecuteCore() +143

System.Web.Mvc.ControllerBase.ExecuteCore() +143

```
te(RequestContext requestContext)
+91
    System.Web.Mvc.
<>c__DisplayClassb.
<BeginProcessRequest>b__5() +57
    System.Web.Mvc.Async.
<>c__DisplayClass1.
<MakeVoidDelegate>b__0() +25
    System.Web.Mvc.
<>c__DisplayClasse.
<EndProcessRequest>b__d() +36
```

```
System.Web.CallHandlerExecutionStep
.System.Web.HttpApplication.IExecut
ionStep.Execute() +602
```

```
System.Web.HttpApplication.ExecuteS
tepImpl(IExecutionStep step) +195
```

```
System.Web.HttpApplication.ExecuteS
tep(IExecutionStep step, Boolean&
completedSynchronously) +128
```