

Server Error in '/' Application.

Object reference not set to an instance of an object.

Description: An unhandled exception occurred during the execution of the current web request. Please review the stack trace for more information about the error and where it originated in the code.

Exception Details: System.NullReferenceException: Object reference not set to an instance of an object.

Source Error:

An unhandled exception was generated during the execution of the current web request. Information regarding the origin and location of the exception can be identified using the exception stack trace below.

Stack Trace:

[NullReferenceException: Object reference not set to an instance of an object.]

System.Data.SqlClient.SqlConnection
.TryOpenInner(TaskCompletionSource`1 retry) +284

System.Data.SqlClient.SqlConnection
.TryOpen(TaskCompletionSource`1 retry) +412

System.Data.SqlClient.SqlConnection
.Open() +127

System.Data.Linq.SqlClient.SqlConnectionManager.UseConnection(IConnectionUser user) +54

System.Data.Linq.SqlClient.SqlProvider.Execute(Expression query, QueryInfo queryInfo, IObjectReaderFactory factory, Object[] parentArgs, Object[] userArgs, ICompiledSubQuery[] subQueries, Object lastResult) +90

System.Data.Linq.SqlClient.SqlProvider.ExecuteAll(Expression query, QueryInfo[] queryInfos, IObjectReaderFactory factory, Object[] userArguments, ICompiledSubQuery[] subQueries) +186

System.Data.Linq.SqlClient.SqlProvider.System.Data.Linq.Provider.IProvider.Execute(Expression query) +409

Reepler.Data.ReeplerDataContext.GetProducts(String language, String ids, Nullable`1 category, String nameSearch, Nullable`1 supplierFilter) in C:\Storage\Development\reepler\Publ

icWeb\Reepler\Data\Reepler.designer
.cs:859

Reepler.DTO.ProductRepository.Get(Int32 id, Language l) in
C:\Storage\Development\reepler\PublicWeb\Reepler\DTO\ProductRepository
.cs:222

Reepler.DTO.BaseRepository`1.Get(Int32 id) in
C:\Storage\Development\reepler\PublicWeb\Reepler\DTO\BaseRepository.cs
:44

Reepler.ShopFront.Repositories.ProductsRepository.GetProduct(Int32
productId) in
C:\Storage\Development\reepler\PublicWeb\ShopFront\Repositories\ProductsRepository.cs:26

Reepler.ShopFront.Controllers.ProductController.ProductSheet(Int32 id)
in
C:\Storage\Development\reepler\PublicWeb\ShopFront\Controllers\ProductController.cs:59
 lambda_method(Closure , ControllerBase , Object[]) +140

System.Web.Mvc.ReflectedActionDescriptor.Execute(ControllerContext
controllerContext, IDictionary`2 parameters) +279

System.Web.Mvc.ControllerActionInvoker.InvokeActionMethod(ControllerContext controllerContext,
ActionDescriptor actionDescriptor, IDictionary`2 parameters) +34
 System.Web.Mvc.
<>c__DisplayClass15.
<InvokeActionMethodWithFilters>b__12() +79

System.Web.Mvc.ControllerActionInvoker.InvokeActionMethodFilter(IActionFilter filter,
ActionExecutingContext preContext, Func`1 continuation) +454

System.Web.Mvc.ControllerActionInvoker.InvokeAction(ControllerContext controllerContext, String
actionName) +658

System.Web.Mvc.Controller.ExecuteCore() +143

System.Web.Mvc.ControllerBase.ExecuteCore() +143

```
te(RequestContext requestContext)
+91
    System.Web.Mvc.
<>c__DisplayClassb.
<BeginProcessRequest>b__5() +57
    System.Web.Mvc.Async.
<>c__DisplayClass1.
<MakeVoidDelegate>b__0() +25
    System.Web.Mvc.
<>c__DisplayClasse.
<EndProcessRequest>b__d() +36
```

```
System.Web.CallHandlerExecutionStep
.System.Web.HttpApplication.IExecut
ionStep.Execute() +602
```

```
System.Web.HttpApplication.ExecuteS
tepImpl(IExecutionStep step) +195
```

```
System.Web.HttpApplication.ExecuteS
tep(IExecutionStep step, Boolean&
completedSynchronously) +128
```

Version Information: Microsoft .NET Framework Version:4.0.30319; ASP.NET Version:4.7.4108.0